

- High energy starter diet
- Intensive farming
- High performance
- High survival
- Phase feed for optimal efficiency



## COMPOSITION:

Analyses (%)	0.3-0.5 mm	0.5-0.8 mm	1.0 mm	1.5 mm
Protein	63	62	58	56
Fat	17	18	20	22
Crude fibre	0,3	0,3	0,3	0,3
Ash	11,1	10,7	10,8	10,5
Total P	1,70	1,64	1,56	1,51

### Vitamins added

Vitamin A (IE/kg)	16667	16667	13333	13333
-------------------	-------	-------	-------	-------

### Energy (MJ/kg)

Gross Energy	21,6	22,3	22,3	22,6
Digestible Energy	19,8	20,5	20,9	21,2

## FEEDING TABLE FOR OPTIMAL GROWTH


Fish weight (g)	Feed size (mm)	< 6 °C	6 °C	8 °C	10 °C	12 °C	14 °C	16 °C	18 °C	> 18 °C
<0.2	0.3-0.5	According to fish's appetite	2,41	2,91	3,52	4,26	5,15	6,23	5,05	According to fish's appetite & O2 level
0.2-0.5	0.5-0.8		2,15	2,60	3,15	3,81	4,61	5,57	4,51	
0.5-2.0	1.0		1,67	2,02	2,44	2,95	3,57	4,32	3,50	
2-5	1.0/1.5		1,36	1,64	1,99	2,40	2,91	3,51	2,85	
5-12	1.5		1,14	1,38	1,66	2,01	2,43	2,94	2,38	

\* The feeding advice is expressed in % biomass/day.

\* This feeding table is a guideline only and based on optimal conditions.

## ECOLOGICAL FIGURES:

Discharge per 1000 kg production



The values of the nutrients and vitamins are from the time of writing.

These values can vary due to natural variation in the ingredients. We reserve the right to change our recipe.

For the exact values we refer to the label.